



PO Box 588, Meridian TX 76665
903-378-2423
www.nutragenecs.com

Certificate of Analysis

Customer:
CBDEazers
PO Box 6
Honey Grove TX 75446



Sample Name: CBD Waters - Orange Blossom Punch

Overall Batch Results	
PASS	
Potency PASS	Foreign Material N/A
Water Activity N/A	Mycotoxins N/A
Heavy Metals Tested	Microbial Screen Tested
Pesticide Tested	Residual Solvents N/A

Report No: AFSG201208-083-11
Sample ID: 20AF96082-11
Sample Type: Hemp
Collected Date:
Received Date: February 18, 2022
Batch Size:
Sample Size:
Lot Number: NSOB100-220209
COA released: March 31, 2022
Serving Size: 16 oz

Potency	
Date Tested: 3/26/2022	Method: Internal HPLC Method
Instrument Type: HPLC	

0.00%	0.01%	0.01%
Total THC	Total CBD	Total Cannabinoids

0.04 mg/g	NT
Total Cannabinoids	Moisture Content

Analyte	Result mg/g	Result %	LOD %	LOQ %	Result
Cannabichromene (CBC)	ND	ND	0.001	0.005	ND
Cannabichromenic acid (CBC-A)	ND	ND	0.001	0.005	ND
Cannabicyclol (CBL)	ND	ND	0.001	0.005	ND
Cannabidiol (CBD)	0.04	ND	0.04	0.005	0.24
Cannabidivarin (CBDV)	ND	ND	0.001	0.005	ND
Cannabidivarinic acid (CBDV-A)	ND	ND	0.001	0.005	ND
Cannabidiolic acid (CBDA)	ND	ND	0.001	0.005	ND
Cannabigerol (CBG)	ND	ND	0.001	0.005	ND
Cannabigerolic acid (CBGA)	ND	ND	0.001	0.005	ND
Cannabinol (CBN)	ND	ND	0.001	0.005	ND
d8-Tetrahydrocannabinol (d8-THC)	ND	ND	0.001	0.005	ND
d9-Tetrahydrocannabinol (d9-THC)	ND	ND	0.001	0.005	ND
Tetrahydrocannabivarin (THCV)	ND	ND	0.001	0.005	ND
Tetrahydrocannabivarinic acid (THCV-A)	ND	ND	0.001	0.005	ND
Tetrahydrocannabinolic acid (THCA)	ND	ND	0.001	0.005	ND
d9-Tetrahydrocannabinolic acid-A (THCA-A)	ND	ND	0.001	0.005	ND

Heavy Metals		
Date Tested: 3/26/2022	Method: Internal ICP-MS	Method Instrument Type: ICP-MS

Analyte	Result	Units	LOD	LOQ	Result	Analyte	Result	Units	LOD	LOQ	Result
Arsenic	ND	ppm	0.03	0.1	Tested	Cadmium	ND	ppm	0.02	0.1	Tested
Lead	<LOQ	ppm	0.02	0.1	Tested	Mercury	ND	ppm	0.02	0.1	Tested

Pesticide		
Date Tested: 3/26/2022	Method: Internal Method	Method Instrument Type: GC-MS / LC-MS

Analyte	Result	Units	LOD	LOQ	Result	Analyte	Result	Units	LOD	LOQ	Result
Acetamiprid	ND	ppm	0.01	0.01	Tested	Aldicarb	ND	ppm	0.2	0.2	Tested
Azoxystrobin	ND	ppm	0.01	0.01	Tested	Bifenazate	ND	ppm	0.1	0.1	Tested
Boscalid	ND	ppm	0.02	0.02	Tested	Carbaryl	ND	ppm	0.1	0.1	Tested
Carbofuran	ND	ppm	0.01	0.01	Tested	Chlorantraniliprole	ND	ppm	0.1	0.1	Tested
Chlorpyrifos	ND	ppm	0.01	0.01	Tested	Cypermethrin	ND	ppm	0.5	0.5	Tested
Diazinon	ND	ppm	0.01	0.01	Tested	Dichlorvos	ND	ppm	0.5	0.5	Tested
Ethoprop(hos)	ND	ppm	0.01	0.01	Tested	Etofenprox	ND	ppm	0.2	0.2	Tested
Fipronil	ND	ppm	0.02	0.02	Tested	Fonicamid	ND	ppm	0.4	0.4	Tested
Glyphosate	NT					Imidacloprid	ND	ppm	0.2	0.2	Tested

NT = Not tested, ND = Not detected; LOQ = Limit of Quantitation; <LOQ = Detected; >ULOL = Above upper limit of linearity; CFU/g = Colony forming units per 1 gram; TNTC = Too numerous to count
This product has been tested using validated testing methodologies and a quality system. Values reported relate only to the product tested. No claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written permission of Nutragenecs. Uncertainty information is available on request. Photo is of sample received by the lab and may vary from final packaging. Stated results apply to the samples as received.


Pesticide					
Date Tested: 3/26/2022	Method: Internal Method	Method Instrument Type: GC-MS / LC-MS			

Analyte	Result	Units	LOD	LOQ	Result	Analyte	Result	Units	LOD	LOQ	Result
Metaxyl	ND	ppm	0.1	0.1	Tested	Methiocarb	ND	ppm	0.1	0.1	Tested
Methomyl	ND	ppm	0.2	0.2	Tested	Methyl Parathion	ND	ppm	0.2	0.2	Tested
Myclobutanil	ND	ppm	0.1	0.1	Tested	Oxamyl	ND	ppm	0.5	0.5	Tested
Permethrin I	ND	ppm	0.1	0.1	Tested	Pyridaben	ND	ppm	0.1	0.1	Tested
Spiroxamine I	ND	ppm	0.2	0.2	Tested	Tebuconazole	ND	ppm	0.2	0.2	Tested
Thiacloprid	ND	ppm	0.1	0.1	Tested	Thiamethoxam	ND	ppm	0.1	0.1	Tested

Microbial Screen			
Date Tested: 3/26/2022			

Analyte	Result	Methodology	Status
E coli Count	< 10	Method: FDA BAM CH4	Tested
Salmonella	Negative	Method: AOAD: 2004.03, 2011.03	Tested
Mold Count	< 10	Method FDA BAM 7th Ed. Ch 18	Tested
Yeast Count	< 10	Method: FDA BAM 7th Ed. Ch 18	Tested

Certified Results
Coordinated by



Donna Henry, Owner